

DFS INC.

2021 Material Handling Catalog



DeSchepper Farm Services, Inc.

**15630 Woodland Avenue
Wyatt, In. 46595
Toll Free (800) 544-8123
Fax (574) 633-1239
Website www.deschepper.net**

DeSchepper Farm Services, Inc.,

To Our Valued Customers,

A little over 25 years ago, DFS, Inc. designed and began building its own unique line of custom tank transitions, gate valves & adjustable hoppers which were used to enclose the intake and discharge augers on hopper bins, and grain dryers that were used strictly for their own construction projects.

Since that time the production and sales of DFS material handling products has grown significantly with our products currently being sold and installed by more than 150 dealers scattered across 17 states throughout North America and Canada.

In addition to the adjustable auger hopper line, DFS has expanded our product offering to include custom roof auger hoppers, portable dryer bypass kits, portable auger dump pits, heavy duty flat bin lids, transfer selector valves and several other custom manufactured components many of which can be built to meet your specifications. If there is something you need but don't see in our catalog, don't hesitate to call us and discuss how we can meet your needs.

At DeSchepper Farm Services, we believe that our continued growth as an ag manufacturer is largely due to the big commitment made by our employees to produce high quality & innovative products to our dealers, bin erectors and farmers across the country.

Whether you're an erector, a bin dealer, or a farmer who does his own work, DFS, Inc. custom material handling products will make your job easier, safer and cleaner. Call us today to discuss how our products fit into your current or upcoming projects.

Call Us Today At 574-633-4019 or 800-544-8123

Do it fast. Do it safe. Do It Right. Seal It Up



**DFS Inc,
15630 Woodland Av.
Wyatt, In. 46595**

**Hours:
8:00-5:00
Mon-Fri.**

Terms and Conditions

Terms

Payment is due in full 10 days from date of invoice. All accounts not paid within the billing cycle will be considered past due and a charge of 1.75% per month (21% annually) will be applied. There will a \$35 charge on all checks returned for insufficient funds.

Pricing

Prices are F.O.B. shipping point. All items will be invoiced at price in effect at the time of shipment. Special discounts are available for large volume orders. **DFS, Inc. reserves the right to change discounts, as well as product pricing without notice.**

Shipping

DFS, Inc. will make every attempt to ship your order on the same day as ordered. We will utilize the most cost effective methods & carriers to ship your order complete & on time.

Sales Tax

Orders are subject to your applicable state sales tax code. Tax exempt orders will be allowed only after filing a Tax Exemption Certificate with DFS.

Damaged Merchandise



We will gladly accept Visa, MasterCard & American Express

Please inspect all shipments for damage upon receipt from your carrier. Damaged shipments should be reported to your UPS or freight carrier immediately. You must notify DFS, Inc. within 10 days of shipment the date to report any shortages in original shipment.

Returned Merchandise

No merchandise will be accepted for return without prior approval from DFS, Inc. A 20% restocking charge will be charged on all merchandise returned for credit after 30 days. Any merchandise returned for credit after 90 days will be done so at the discretion of DFS, Inc. **No returns will be allowed on special order or custom built items that have been manufactured to your specifications.**

Custom Orders

At DFS, Inc. we are very proud of our ability to fabricate custom equipment for special application. If you need a custom part to solve your bulk material handling problem, please contact us and we will be glad to quote custom equipment built to your specification or designed specifically for your application.

Table of Contents

TERMS AND CONDITIONS	3	HD FLAT TOP LID ASSEMBLIES	9
ADJUSTABLE HOPPER SPECIFICATIONS	4-5	UNLOAD CONTROL ROD OPENER	9
ADJUSTABLE AUGER HOPPERS	6	DFS PORTABLE AUGER DUMP PIT	10
BULK TANK TRANSITION	6	WELL GUARD ASSEMBLY	10
RACK & PINION SHUT OFF VALVE	6	DFS END CAPS	10
HAND SLIDE VALVE SHUT OFF VALVE	6	CUSTOM AUGER DRIVE KITS	11
STANDARD AUGER HOPPER	7	AERATION TRANSITIONS	11
BAND ON INLET HOPPER	7	DRYER TRASH PAN KIT	11
DFS DRYER ADAPTERS	7	DFS CUSTOM SUPPORT TOWER	12
REPLACEMENT BEARINGS	7	DFS ADJUSTABLE DEAD HEAD	12
DFS FLAT TOP ADAPTERS	8	OVERFLOW DIVERTER VALVE	13
DFS CUSTOM DRYER BYPASS KIT	8	SELF CLEANING FLOW RETARDER	13
DRYER ASPIRATOR KIT	8	MISC. DRYER REPLACEMENT PARTS	14
DFS 3 WAY TRANSFER SELECTOR VALVE	9	BALDOR CAST IRON PULLEYS & BUSHING	14

DeSchepper Farm Services, Inc.

Fast, Safe, and Sealed !

After years of trial and error fabricating enclosed conveyor transitions, DFS, Inc. has developed a series of products that provides a convenient way to enclose almost any auger intake area for safety and cleanliness. Our adjustable auger hoppers are designed to be used on bulk feed tanks, wet corn holding bins, and portable grain dryer discharge auger applications where custom fabrication is often time consuming and difficult.

Bulk feed tank (BFT) transitions from DFS attach to most hopper tanks that use a standard 16" collar including GSI, AP, Brock, Chore Time, Pax and others. BFT transitions are used to convert almost any 16" round opening to an 8", 10", or 12" square, flanged opening with an industry standard bolt pattern for ease of assembly.

Adjustable auger hoppers are available in 4", 6", 8", 10" and 12" augers and offer two ranges of adjustability, from 0 to 30 degrees and 25 to 50 degrees. Our adjustable auger hopper does not require u joints or clamps, and are constructed of heavy gauge steel with a powder coat finish. DFS hoppers come standard with wood bearings on 4", 6" and 8" and cast flange steel bearings standard on 10" and 12" models. Steel bearings are also available for 4", 6" and 8" models, in lieu of wood, at a slightly higher cost.

DFS rack & pinion valves are available in 8", 10" and 12" models. All rack & pinion valves feature precision machined steel gear rack and pinion gears, 1/4" slide gates, and hand crank controls included with every valve. Hand slide gate valves are available in 10" only and come standard with weather cover and 1/4" slide gates. All DFS valves are constructed of heavy gauge steel with powder coat finish for years of durability.


When used with our material shutoff valves, DFS tank transitions and adjustable auger hoppers provide an ideal way to seal up and control the flow of material from a bulk tank or wet bin. All of our equipment comes ready to install and uses a standard bolt pattern that allows each component to be assembled with ease.



A bulk tank transition, shown with 10" rack & pinion valve, and 8", adjustable, 25-50 degree, auger hoppers offer a great way to seal up and control the flow of material out of wet bins or feed tanks.



By simply changing the auger hopper top we can change the angle of adjustability of the hopper from 25-50 degree down to the 0-25 degree range.



Hand Slide Valve With

Rack & Pinion Valves
Include Hand Cranks

Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

FAST, SAFE, & SEALED 800-544-8123

DeSchepper Farm Services, Inc.

Fast, Safe, and Sealed !

With wet grain holding tanks and bulk tanks getting larger all the time, there is a growing need to utilize that tank for more than one application. Our new twin outlet transitions provide a great way to achieve this by allowing for the installation of two separate augers out of one transition. Twin outlet auger transitions can be used in many different configurations where 2 augers are needed.

Our dryer discharge transitions can be used to adapt your portable dryer discharge to our adjustable auger hoppers or can be adapted to most air system locks. Our dryer discharge kit includes the dryer discharge transition, a 10" quick clamp and 10" flat top adaptor which bolts to our adjustable auger hoppers.

Whether you lack the time or simply don't want to be bothered with trying to fabricate your own auger boot, the DFS adjustable auger hopper will help you to install a safe and clean auger inlet boot in a fraction of the time.


Do it fast. Do it safe. Do It Right.

Seal It Up

Call Us Today To Order Yours !

(800) 544-8123 (574) 633-4019

Auger Hopper Dimensions



DFS twin outlet transitions can accommodate two augers from one hopper tank collar. Augers can be mounted in different directions for added versatility from your wet bin or feed tank.




DFS dryer transitions can be adapted to air systems as well as our adjustable auger hoppers to provide a clean and safe, way to enclose the dryer discharge.

HOPPER MODEL	AUGER SIZE	A MIN	A MAX	B MIN	B MAX
DG2004	4"	0°	30°	12"	17"
DG2006	6"	0°	30°	15.5"	20.5"
DG2008	8"	0°	30°	16.5"	21.5"
DG2010	10"	0°	30°	17.5"	22.5"
DG2504	4"	25°	50°	10.5"	14.5"
DG2506	6"	25°	50°	15"	17"
DG2508	8"	25°	50°	16"	18"
DG2510	10"	25°	50°	17"	19"

Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DeSchepper Farm Services, Inc.

BFT TRANSITIONS, GATE VALVES, ADJUSTABLE HOPPER 800-544-8123



BULK FEED TANK (BFT) DISCHARGE TRANSITION

Heavy steel construction w/powder coat finish for use with single or double augers.


ITEM	DESCRIPTION	PRICE EA.
DG1610	16" Round to 10" Square	\$ 161.00
DG1610-AR16	16" Round to 10" Square W/16" Angle Ring	\$ 167.00
DG1610-TO	16" Rd to 10" Sq. Standard Twin Outlet	\$ 292.00
DG1610-TOAR16	16" Rd. to 10" Sq. Twin Outlet W/16" Angle Ring	\$ 311.00
DG1612	16" Round to 12" Square	\$ 184.00
DG1610-S	16" Rd to 10" Sq. W/Sukup & Sioux Flange	\$ 199.00
DG1610-TO-S	16" Rd to 10" Sq. W/Sukup & Sioux Flange Twin	\$ 321.00
DGRSS810	Reducer 10" Sq. To 8" Sq. (Use With RPSG08)	\$ 111.00

RACK & PINION AND HAND SLIDE VALVES

Heavy duty construction w/precision cut spur gear & gear rack.

ITEM	DESCRIPTION	PRICE EA.
RPSG8	8" Rack & Pinion W/Hand Crank	\$ 363.00
RPSG10	10" Rack & Pinion W/Hand Crank	\$ 422.00
RPSG12	12" Rack & Pinion W/Hand Crank	\$ 465.00
HSG10	10" Hand Slide Gate W/Weather Cover	\$ 231.00

** Electric & Air Actuators Available For 10", 12" Rack & Pinions*



ADJUSTABLE AUGER HOPPERS

Heavy duty steel construction w/powder coat finish.



ITEM	DESCRIPTION	PRICE EA.
DG2004	4" 0-25 Deg. Adj. BFT Hopper	\$ 324.00
DG2006	6" 0-25 Deg. Adj. BFT Hopper	\$ 490.00
DG2008	8" 0-25 Deg. Adj. BFT Hopper	\$ 515.00
DG2010	10" 0-25 Deg. Adj. BFT Hopper	\$ 639.00
DG2012	12" 0-25 Deg. Adj. BFT Hopper	\$ 708.00
DG2504	4" 25-50 Deg. Adj. BFT Hopper	\$ 300.00
DG2506	6" 25-50 Deg. Adj. BFT Hopper	\$ 463.00
DG2508	8" 25-50 Deg. Adj. BFT Hopper	\$ 490.00
GT3-5000	8" 0-25 Deg. Adj. Hopper W/Steel Brg	\$ 522.00
DG2510	10" 25-50 Deg. Adj. BFT Hopper	\$ 600.00
DG2512	12" 25-50 Deg. Adj. BFT Hopper	\$ 704.00


- * 4" and 6" Adjustable Hoppers & 6" Inlet Auger Hoppers Come Standard With 1" Wood Bearings.
- * 8" Adjustable Hoppers & Inlet Hoppers Come Standard With 1-1/4" Wood Bearing.
- * 10" Adjustable Hoppers & Inlet Hoppers Come Standard With 1-1/2" Cast Flange Steel Bearings.
- * 12" Adjustable Hoppers & Inlet Hoppers Come Standard With 2" Cast Flange Steel Bearings.
- * Steel Bearings Are Available For 4", 6" And 8" In Lieu Of Wood At An Additional Cost.

Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DeSchepper Farm Services, Inc.

STANDARD INLET AUGER HOPPER

ITEM	DESCRIPTION	PRICE EA.
AH06	6" Hopper W/6" Flat Top Adapter & Blank Plate	\$ 358.00
AH08	8" Hopper w/8" Flat Top Adapter & Blank Plate	\$ 420.00
AH10	10" Hopper w/10" Flat Top Adapter & Blank Plate	\$ 467.00
AH12	12" Hopper w/12" Flat Top Adapter & Blank Plate	\$ 514.00





BAND ON INTERMEDIATE AUGER INLET HOPPERS

ITEM	DESCRIPTION	PRICE EA.
DGBTH06	6" Band On Hopper w/Half Bands	\$ 304.00
DGBTH08	8" Band On Hopper w/Half Bands	\$ 335.00
DGBTH10	10" Band On Hopper w/Half Bands	\$ 355.00

FLAT TOP & AIR LOCK ADAPTERS

All flat top adapters bolt to 10" square opening and are designed for use with all 4", 6", 8" & 10" adjustable or inlet hoppers.

ITEM	DESCRIPTION	PRICE EA.
FTA00	10" Square to Blank Plate	\$ 31.00
FTA106	10" Square to 6" Angle Ring	\$ 95.00
FTA108	10" Square to 8" Angle Ring	\$ 101.00
FTA10	10" Square to 10" Angle Ring	\$ 106.00
FTA1012	10" Square to 12" Angle Ring	\$ 109.00
FTA10-OF	10" Square to 10" Angle Ring W/Offset Hole	\$ 106.00
DGALT-4	Air Lock Adapter w/10" Tube (DMC 4" Transfer)	\$ 171.00
DGALT-5	Air Lock Adapter w/10" Tube (DMC 5" Transfer)	\$ 186.00
DGALT-6	Air Lock Adapter w/10" Tube (DMC 6" Transfer)	\$ 212.00



REPLACEMENT BEARINGS & FLANGES

Replacement bearings and flanges for DFS auger hoppers & end caps.

ITEM	DESCRIPTION	PRICE EA
RA100RRB	Bearing Insert, 1" Bore w/Eccentric Lock Collar	\$ 22.00
RA103RRB2	Bearing Insert, 1-1/4" Bore w/Eccentric Lock Collar	\$ 32.00
SAFL208-24	Bearing, 1-1/2" Bore 2 Bolt Cast Flange w/Set Collar	\$ 46.00
PSBB165224W	Wood Bearing, 1" Bore Self Lube Hardwood	\$ 23.00
PSBB206228W	Wood Bearing, 1-1/4" Bore Self Lube Hardwood	\$ 24.00
D31-0026	Wood Bearing, 1-1/2" Bore 2 Piece W/Nylon Pin	\$ 26.00
192-0185	Wood Bearing 1-1/4" Bore 2 Piece W/Nylon Pin	\$ 24.00
52MS	Bearing Flanges, 52 MM 3 Bolt Zinc (Pair)	\$ 6.00
62MS	Bearing Flanges, 62 MM 3 Bolt Zinc (Pair)	\$ 8.00



Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DeSchepper Farm Services, Inc.

DRYER ADAPTER, CLAMP BANDS, DRYER BYPASS & ASPIRATOR 800-544-8123



GSi PORTABLE DRYER DISCHARGE ADAPTER & KITS

Heavy duty steel construction w/powder coat finish formed to fit GSI dryers.



ITEM	DESCRIPTION	PRICE
DG200A-V	GSI Dryer Adapt. w/10" Ring (Vision Sampler)	\$ 140.00
DG200AK-V	GSI Adapt. Kit, W/Flat Top & Clamp Band (Vision Sampler)	\$ 259.00
DG200A	GSI Dryer Adapt. w/ 10" Ring (Old Style)	\$ 122.00
DG200AK	GSI Adapt. Kit, W/Flat Top & Clamp Band (Old Style)	\$235.00
DG203A	GSI Dryer Adapter, W/10" Ring (Old Style W/GSI Bypass)	\$ 122.00
DG203AK	GSI Adapt. Kit, W/Flat Top & Clamp Band (GSI Bypass)	\$ 243.00
CB10	10" Clamp Band Assembly w/Bolts	\$ 22.00
CB12	12" Clamp Band Assembly w/Bolts	\$ 31.00
CB16	16" Clamp Band Assembly w/Bolts	\$ 64.00
CB18	18" Clamp Band Assembly W/Bolts	\$ 84.00

DFS DRYER BYPASS KIT

DFS dryer bypass kits are designed to divert dry grain using a 2 way valve directly into the discharge box on GSI portable dryers. Bypass kit consists of (1) custom discharge inlet transition, (1) custom elbow assembly (1) offset valve and dryer mounting plate. Bypass kits are available with 8" or 10" offset valves. (Vertical extension pipe not included)

ITEM	DESCRIPTION	PRICE EA
DGBYPASSKIT-8	Dryer Bypass Kit w/8" Offset Valve	\$ 1170.00
DGBYPASSKIT-10	Dryer Bypass Kit W/10" Offset Valve	\$ 1224.00



DFS DRYER ASPIRATOR KIT

DFS dryer aspirator kits are designed to draw light material and bees wings away from discharge auger on GSI portable dryers. All aspirator kits use high pressure direct drive 3/4 hp 3450 RPM radial fans w/9" blades and epoxy finish. Aspirator kits come standard with (1) custom discharge inlet transition, (1) high volume squirrel cage blower w/motor 4" round outlet pipe.

ITEM	DESCRIPTION	PRICE EA.
DGASPIRAT-1	Aspirator Kit w/ 3/4 Hp 1 Ph 3450 Motor	\$ 1267.00
DGASPIRAT-3	Aspirator Kit w/ 3/4 Hp 3 Ph 3450 Motor	\$ 1229.00

Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DeSchepper Farm Services, Inc.

DFS AIR SYSTEM SELECTOR VALVE

New from DFS in 2018 our air system selector valve has been updated to a 3 way design which allows for the installation of 3 air pipes if you choose. DFS selector valves can easily be mounted to bin wall using existing bolt holes or mounted horizontally at ground level. DFS selector valves include (2) output tubes and (1) input tube featuring all steel bolt together construction, heavy duty offset elbow, latch mechanism, tube plugs & powder coat finish. Our valves are available in 4" or 5" models and are built to the following dimensions. 41-1/4" H 18-3/4" W 12-1/4" T

** Additional output tube needed for 3 way applications **

ITEM	DESCRIPTION	PRICE EA.
DGSELECT-4	Air System 3 Way Selector Valve 4"	\$ 1006.00
DGSELECT-5	Air System 3 Way Selector Valve 5"	\$ 1091.00
DGSELECT-T4	Output Tube Assembly 4"	\$ 56.00
DGSELECT-T5	Output Tube Assembly 5"	\$ 72.00
RPP4A	Plug, 4" Plastic	\$ 8.30
RPP5A	Plug, 5" Plastic	\$ 11.00



HEAVY DUTY FLAT TOP LIDS

Heavy duty flat top lids w/standard 2" lip for air system cyclone or dead head mounting, may be ordered with or without angle ring & reinforcement angles.




ITEM	DESCRIPTION	PRICE EA
FTL21-11	GSI Bulk Feed Tank 21" Diameter w/3" Lip	\$ 217.00
FTL23-11	Brock Bulk Feed Tank 23" Diameter w/3" Lip	\$ 243.00
FTL33-11	GSI Grain Bin 32-1/2" Diameter w/2" Lip	\$ 292.00
FTL40-11	Brock Grain Bin 40"-1/2 Diameter w/2" Lip	\$ 316.00
FTL33-11-2AR8	GSI Grain Bin 32-3/4" Diameter w/2" Lip with 8" Angle Ring (For Air System Cyclone Installation)	\$ 304.00

**** DFS Custom Flat Top Lids Manufactured To Your Specifications Are Available Upon Request ****

DFS UNLOAD CONTROL ROD OPENER

DFS custom rack & pinion control rod openers are designed to be used on most standard horizontal control rods to provide extra leverage to open center well and intermediate wells. DFS control rod openers utilize heavy duty steel laser cut parts, precision cut gear rack and spur gear, and zinc plating for years of trouble free operation. DFS rack & pinion openers are shipped complete with all of the necessary hardware to install it on your existing bin unload control rod pipe.

ITEM	DESCRIPTION	PRICE EA.
DGRPOPENER-6	6" R & P Control Rod Opener	\$ 248.00
DGRPOPENER-8	8" R & P Control Rod Opener	\$ 268.00
DGRPOPENER-10	10" R & P Control Rod Opener	\$ 279.00



Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DeSchepper Farm Services, Inc.

DFS TRANSPORT AUGER DUMP PITS

DFS transport auger pit offers an affordable and effective solution to high capacity unloading. Transport auger pits can be used with almost any portable auger by simply adding additional tube & flight to bottom of existing transport auger. Dump pits are constructed of heavy gauge powder coated steel and feature a bolt together construction for ease of assembly. Drive over pits are 44" deep with a 42" X 96" dump area and will accept up to a 14" transport auger. The bar grate package is constructed of 1/2" X 3" bar stock and comes assembled in 4 individual sections for easy removal and installation.

ITEM	DESCRIPTION	WEIGHT	PRICE EA.
DG3800-BG	50 Bushel Auger Pit w/ 42" X 96" Bar Grate	1040 lbs.	\$ 4694.00
DG3800LBG	50 Bushel Auger Pit Less Bar Grate	N/A	\$ 3490.00
BARGRATE4296	Bar Grate 1/2" X 3" X 42" X 96"	N/A	\$ 1627.00



DFS WELL GUARD ASSEMBLY

Well guards sit over unload center well and aid in breaking up grain and foreign material before it can prohibit the flow of grain through the center well. DFS well guards are constructed from heavy gauge powder coated steel and are available for use with standard unload center wells or power sweep unloads.

ITEM	DESCRIPTION	PRICE EA
DGSMWELLGUARD	Small Well Guard For Standard Well	\$ 236.00
DGLGWELLGUARD	Large Well Guard For Power Sweep Unloads	\$ 323.00



END CAP & BEARING ASSEMBLY

DFS end caps are heavy duty steel with powder coat finish.

ITEM	DESCRIPTION	PRICE EA.
ECB06	6" End Cap w/1" Wood Bearing	\$ 87.00
ECB08	8" End Cap w/1-1/4" Wood Bearing	\$ 113.00
ECB06S	6" End Cap w/1" Steel Bearing	\$ 77.00
ECB08S	8" End Cap w/1-1/4 Steel Bearing	\$ 110.00
ECB10	10" End Cap w/1-1/2" Cast Flange Bearing	\$ 139.00
ECB12	12" End Cap w/2" Cast Flange Bearing	\$ 284.00

* See Page 7 For Replacement Bearings & Flanges

Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DFS DRIVE OVER PIT, WELL GUARDS, END CAP ASSEMBLIES 800-544-8123

DeSchepper Farm Services, Inc.

DFS HEAVY DUTY CUSTOM DUTY ELECTRIC DRIVE KITS

- Heavy Duty Steel Construction With Powder Coat Finish
- Removable End Plate For Easy Flight Removal Without Removing Pulley Or Bearing
- Cast Iron Sheave w/Taper Lock Bushing
- Quick Adjust Belt Tension For Quick Belt Replacement And Adjustment
- All Drives Include, Motor Mount, V Belts, Cast Iron Pulley and Bushing, Cast Flange Bearings, Head Shaft and Belt Shield * **Motor & Pulley Not Included** *

ITEM	DESCRIPTION	# OF BELTS	MOTOR PULLEY	DRIVEN PULLEY	FLIGHT RPM	PRICE EA.
PH6212	6"-2 Belt Drive W/12" Sheave	2	3"	12.75"	412	\$ 546.00
PH6215	6"-2 Belt Drive W/15" Sheave	2	3"	15.75"	334	\$ 759.00
PH8215	8"-2 Belt Drive W/15" Sheave	2	3.5"	15.75"	389.	\$ 794.00
PH8218	8"-2 Belt Drive W/18" Sheave	2	3.5"	18.75"	327	\$ 1041.00
PH8315	8"-3 Belt Drive W/15" Sheave	3	3.5"	15.75"	389	\$ 840.00
PH10215	10"-2 Belt Drive W/15" Sheave	2	3"	15.75"	334	\$ 868.00
PH10218	10"-2 Belt Drive W/18" Sheave	2	3"	18.75"	280	\$ 1093.00
PH10315	10"-3 Belt Drive W/15" Sheave	3	3"	15.75"	334	\$ 1116.00

* **Flight RPM Are Based On 1750 RPM Motor**



BOLT TOGETHER AERATION TRANSITION

24" x 24" Bolt together, heavy duty steel construction, aeration fan transition w/ faceplate & powder coat finish.

ITEM	DESCRIPTION	PRICE EA
TR2424-12	Transition, 24" X 24" W/12" Fan Opening	\$ 248.00
TR2424-14	Transition, 24" X 24" W/14" Fan Opening	\$ 248.00
TR2424-18	Transition, 24" X 24" W/18" Fan Opening	\$ 248.00



Most Parts Now Available In Hot Dip Galvanized Upon Request Call For Price & Availability

DeSchepper Farm Services, Inc.

DFS CUSTOM LEG SUPPORT TOWER

Are you tired of the hassles involved with installing concrete earth anchors, with numerous guy cables, & turnbuckles to anchor your bucket elevator ? Do you want the peace mind knowing that your bucket elevator support system will stand up to the test of time and not prohibit future expansion ? We have the solution you have been waiting for. DFS custom leg support towers are engineered with your farm elevator support needs in mind. Our custom support towers are offered in 8' X 8' or 10' X 10' square in 10' increments up to 100' tall. DFS towers are built using formed legs for added strength & structural angle iron X bracing. All tower parts are hot dipped galvanized for years of durable finish w/grade 8 zinc plated fasteners & locking nuts. DFS towers are full bolt together construction and come complete with necessary angles to brace bucket elevator to support tower. Towers are built to utilize existing bucket elevator ladder & platforms which eliminates the need for the expensive ladder & tower platforms, therefore lowering material costs and minimizing construction times. Call us for your personal quote and discuss how our support towers can work for you.

ITEM	DESCRIPTION	WEIGHT	PRICE EA.
DGTWR8X8X50	Support Tower, 8' X 8' X 50' Hot Dip Galvanized	1040 lbs.	\$ CALL \$
DGTWR10X10X50	Support Tower, 10' X 10' X 50' Hot Dip Galvanized	N/A	\$ CALL \$



DFS DRYER TRASH PAN ASSEMBLY

For use with GSI portable dryer leveling auger, trash pan kit includes (1) 10' long section with (8) mounting brackets & hardware. (Galvanized)

ITEM	DESCRIPTION	PRICE EA.
DGTRASHPAN	Leveling Auger Trash Pan Kit	\$ 362.00




DFS CUSTOM LEG SUPPORT TOWER 800-544-8123




DFS OVERFLOW DIVERTER VALVE

DFS overflow diverter valves were designed to allow material to overflow into a secondary outlet once the product has filled up the primary outlet. The internal diverter flap can be positioned to either side to "force" material through the desired outlet thus eliminating the need for expensive rack & pinion shutoff valves. The diverter valves are constructed of heavy duty steel with a hot dip galvanized finish for years of trouble free operation. All valves feature EZ clean out access port, adjustable locking locator w/wear plate, greaseable shaft collars, and lift lugs.




ITEM	DESCRIPTION	PRICE EA.
DGODV-8	8" Overflow Diverter Valve 10 Ga. HDG 26" OA.	\$ 1285.00
DGODV-10	10" Overflow Diverter Valve 10 Ga. HDG 28" OA.	\$ 1406.00
DGODV-12	12" Overflow Diverter Valve 7 Ga. HDG 30" OA.	\$ 1585.00
DGODV-14	14" Overflow Diverter Valve 7 Ga. HDG 32" OA.	\$ 1872.0



DFS SELF CLEANING FLOW RETARDER

Self cleaning flow retarders utilize an internal baffle which creates a cushioning effect when grain piles up against the baffle on the angled end of the retarder slowing down the velocity of the grain. Once the material has finished flowing, the pile will slide off the baffle and down through the bottom outlet. Flow retarders feature heavy gauge steel construction, hot dipped galvanized finish, EZ clean out access port, and rounded construction which virtually eliminates corner hang up and provides free flow of materials. * All DFS flow retarders must be installed at no less than 35° to achieve self cleaning of grain.




ITEM	DESCRIPTION	PRICE EA.
DGFR-8	8" Flow Retarder 10 Ga. HDG 24" OA.	\$ 536.00
DGFR10	10" Flow Retarder 10 Ga. HDG 24" OA.	\$ 597.00
DGFR12	12" Flow Retarder 7 Ga. HDG 26" OA.	\$ 752.00
DGFR14	14" Flow Retarder 7 Ga. HDG 28" OA.	\$ 1076.00

ADJUSTABLE DEAD END SPOUT (CLAM STYLE)

Adjustable dead end spout features heavy duty construction w/internal baffle and powder coat finish.

ITEM	DESCRIPTION	PRICE EA.
ADH08	8" Adjustable Dead End Spout 10 Ga.	\$ 549.00
ADH10	10" Adjustable Dead End Spout 10 Ga.	\$ 672.00



DIVERTER VALVE, FLOW RETARDER, ADJUSTABLE DEAD HEADS 800-544-8123

DeSchepper Farm Services, Inc.



MISCELLANEOUS REPLACEMENT DRYER PARTS

ITEM	DESCRIPTION	PRICE EA.
D03-0010	Mercury Switch, 6 Degree W/6" Leads	\$ 54.00
TFC-0023	Regulator, 1/2 NPT 0-30 PSI Rego 1584VN	\$ 282.00
TFC-0020	Regulator, 3/4" NPT 3-30 PSI Rego 1586VN	\$ 485.00
HH-2984	Pressure Gauge, 2-1/2" 0-30 PSI Liquid Filled 1/4" NPT	\$ 53.00
D08-0022	Pressure Gauge, 2-1/2" 0-15 PSI Liquid Filled 1/4" NPT	\$ 55.00
HF-4624-R	Fenwal Flame Detection Board	\$ 306.00
CD-0238	Flame Ignitor, GSI	\$ 8.40 Ea.
THH-4178	Igniter Assembly, Includes (2) CD-0238, (1) HF 7204 Bracket	\$ 64.00
TF-1559-DT	Flame Switch Assembly 6" Long Include (1) CD-0187 Bracket (2) FH-1309 Nut, (1) THH-4179 Flame Sensor	\$ 151.00
HH-3977	Flame Switch Farm Fans N/C 3/8-24	\$ 111.00
D31-0025-B	Bearing Hanger, Side Black (Each)	\$ 64.00
602E020-2	DMC Calcu-Dri Moisture Sensor	\$ 534.00
602E020-D-2	DMC Moisture Manager Moisture Sensor (GSI Dryer)	\$ 466.00

BALDOR CAST IRON BUSHED BORE SHEAVES

ITEM	CROSS REF.	BELTS	OD-INCH	BUSHING-BORE	PRICE EA.
MBL31	BK32H	1B	3.15"	L, 9/16" - 1 1/2"	\$ 29.00
MBL35	BK34H	1B	3.55"	L, 9/16" - 1 1/2"	\$ 31.00
MBL42	BK45H	1B	4.25"	L, 9/16" - 1 1/2"	\$ 32.00
2MBL33	2BK32H	2B	3.35"	L, 9/16" - 1 1/2"	\$ 52.00
2MBL35	2BK34H	2B	3.55"	L, 9/16" - 1 1/2"	\$ 56.00
2MBL42	2BK45H	2B	4.25"	L, 9/16" - 1 1/2"	\$ 55.00
2MBL127	2BK130H	2B	12.75"	L, 9/16" - 1 1/2"	\$ 151.00
2MBL157	2BK160H	2B	15.75"	L, 9/16" - 1 1/2"	\$ 190.00
2MBL187	2BK190H	2B	18.75"	L, 9/16" - 1 1/2"	\$ 210.00
3B34	N/A	3B	3.75"	SH, 9/16" - 1 5/8"	\$ 111.00
3B36	N/A	3B	3.95"	SH, 9/16" - 1 5/8"	\$ 116.00
3B124	N/A	3B	12.75"	SK, 9/16" - 1 5/8"	\$ 191.00
3B154	N/A	3B	15.75"	SK, 9/16" - 1 5/8"	\$ 265.00
3B184	N/A	3B	18.75"	SK, 9/16" - 1 5/8"	\$ 323.00

BALDOR TAPER LOCK BUSHING

ITEM	TYPE	SIZE RANGE	PRICE EA.
L	L Type Bushing	9/16" - 1 1/2"	\$ 15.00
SH	SH Type Bushing	9/16" - 1 5/8"	\$ 32.00
SDS	SDS Type Bushing	9/16" - 15/16"	\$ 38.00
SK	SK Type Bushing	9/16" - 2 1/2"	\$ 39.00

DeSchepper Farm Services, Inc.



GRAIN BIN ERECTION
**CUSTOM DRYER CONCRETE
BIN FOUNDATIONS**
**CUSTOM MILLWRIGHT &
CRANE SERVICES**
**PORTABLE DRYER PARTS,
SALES & SERVICE**

GSI & FFI PORTABLE DRYERS

**GSI AIR TRANSFER
SYSTEMS & STIRRATORS**

**GSI GRAIN BINS & WET
GRAIN HOLDING TANKS**

**GSI MATERIAL BUCKET
ELEVATOR & CONVEYORS**



**DFS ADJUSTABLE AUGER
BOOTS & TRANSITIONS**

**DFS RACK & PINION GATE
VALVES & ACCESSORIES**

**DFS PORTABLE AUGER DUMP
PIT & BAR GRATE**

**DFS CUSTOM METAL
FABRICATION & WELDING**



DESCHPEPPER FARM SERVICES, INC. 800-544-8123

OVER 50 YEARS IN BUSINESS

JULY

2021

DFS, Inc.



GSI Grain Bins and Hopper Tanks

Brownie Towers and Catwalks

Lambton Flat Bottom Drag Conveyor

U-Trough Conveyors

Replacement Hoppers

Bearings and Pulleys

DFS Dryer Aspirator Kits

Elevator Buckets and Accessories

Spouting - Round and Square

GSI Portable Dryer

Elevator Belting - Rubber and PVC

Lambton Galvanized Distributors

Spread All Aeration Fans

GSI Stirring Machine

Bin Master Level Indicators

Custom Fabrication

Bearings & Bearing Flanges

GSI Air Transfer Systems

DFS Portable Auger Dump Pits

GSI Bucket Elevators

Farm Fans Parts

Dodge & Browning Reducer Drives

V-Belts

UHMW and Urethane Liners

Electric Motors

Angle Rings

Galvanized Aircraft Cable

DFS R & P Gate Valves

GSI Commercial Hopper Bins

In-Bin Drying Fans and Heaters

GSI Top Dry Systems

Farm Fans Portable Dryer

Motion and Zero-Speed Controls

DFS Adjustable Hopper & Transition

QUALITY EQUIPMENT FOR ALL YOUR BULK MATERIAL HANDLING NEEDS!

For additional catalogs or to inquire about unlisted items, contact our office at:

P.O. Box 180 Wyatt, In. 46595 (800) 544-8123 (574) 633-4019 Fax (574) 633-1239

Visit our website at www.deschepper.net or call us toll free at (800) 544-8123